



Metafin Supply Co.

26575 W. Commerce Drive, Unit 504 Volo, IL 600739659


Phone: [8477401599](tel:8477401599)

Fax: 8477401930

Email: sales@metafinsupply.com

Item # HX6440-**, HX Series, Spiral Fluoropolymer (PTFE) Heaters

Single phase only. Longer vertical lengths and flexible risers available, consult factory.



Specifications

Series	HX Series
Watts	6000 W
Watt Density	10 W/in ² 1.5 W/cm ²
Volts	480 V
Hot Zone	29 " 737 mm
Overall Length	40 " 1016 mm

Std. Cold Zone	11 " 280 mm
Max. Cold Zone	30 " 762 mm
Material	Fluoropolymer
Phase	Single
Shipping Weight	21.0 Pound
Options Available¹	Comes Standard with Replaceable thermal protector: P1: for solutions up to 180°F (82°C). Resettable thermal protector: P2: for solutions up to 180°F (82°C). Resettable thermal protector: P3: for solutions up to 250°F (121°C). Resettable thermal protector: P8: for solutions up to 210°F (99°C).
Guards Recommended	Standard guard is polypropylene. Fluoropolymer (PTFE) guards recommended for chromic acid and solutions exceeding 180° F (82°C). GUARDS SOLD SEPARATELY
Guard Model Number	HX/3HX40G
Certifications	 CE  CSA  UL Listed
Manufacturer	Process Technology

Weight

21.0 lbs
9.5 kg

¹ Consult factory